



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

46197-2

Date of Issuance:

4/2/18

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Anti-Mosquito Paint

Name and Address of Registrant (include ZIP Code):

Robin Todd
Agent for Kansai Paint Co., Ltd.
c/o TSG, Inc.
1150 18th St., NW, Suite 1000
Washington, D.C. 20036

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Signature of Approving Official:

Elizabeth Fertich, Product Manager 04
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)

Date:

4/2/18

3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 46197-2.”
4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.


If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 03/24/2017
- Alternate CSF 1 dated 03/24/2017
- Alternate CSF 2 dated 03/24/2017
- Alternate CSF 3 dated 03/24/2017
- Alternate CSF 4 dated 08/22/2017
- Alternate CSF 5 dated 08/22/2017

If you have any questions, please contact Jennifer Gaines at 703-305-5967 or via email at gaines.jennifer@epa.gov.

Enclosure

Note to Reviewer: Language contained within parenthesis is optional.



Kansai Paint Co. LTD
Anti-Mosquito Paint
EPA File Symbol 46197-XX
March 29, 2018
Page 1 of 5

{FRONT PANEL}

Anti-Mosquito Paint

FOR INTERIOR USE IN COMMERCIAL AND INSTITUTIONAL BUILDINGS ONLY

Anti-Mosquito Paint is premium quality acrylic emulsion paint for interior use to kill mosquitoes which land on painted surfaces. It has a smooth, matte finish with superior opacity and whiteness. Will continue killing mosquitoes for up to 2 years. Will kill the mosquito species which can carry Zika virus, dengue fever, chikungunya virus, or West Nile virus.

Composition

Active Ingredient:

Permethrin1.00%

Other Ingredients:99.00%

Total: 100.00%

VOC: Less than 50 gm/litre in bases, compared to EPA VOC limits of 250 g/L. Depending upon the customer’s color choice, the final product’s VOC content may increase significantly after tinting.

Net Contents:

(1 US quart of Anti-Mosquito Paint contains: 0.32 ounces permethrin as active ingredient.)

(1 US gallon of Anti-Mosquito Paint contains: 1.29 ounces permethrin as active ingredient.)

(5 US gallons of Anti-Mosquito Paint contain: 6.45 ounces of permethrin as active ingredient.)

KEEP OUT OF REACH OF CHILDREN

CAUTION

(SEE [SIDE] [BACK] [PANEL] FOR ADDITIONAL (PRECAUTIONARY STATEMENTS))

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.
IF ON SKIN	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.

Have the Anti-Mosquito Paint container or label with you when calling a poison control center, doctor or going for treatment. For emergency information concerning this product, call the National Pesticide Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time. At other times, call 1-800-222-1222 for the poison control center.

{LEFT SIDE PANEL}

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

All handler and applicators must wear:

Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse. Wear a mask labeled N95 (or P95).

User Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.

ENVIRONMENTAL HAZARDS

(If container is equal to 5 gal., the following statement must appear on the label.) Do not apply directly to lakes, streams ponds, estuaries, oceans or other waters by cleaning of equipment or disposal of wastes. Dispose of paint debris in an approved landfill or recycle using available authorized recycling locations.

(If container is less than 5 gal., the following statement must appear on the label.)

Do not apply directly to lakes, streams ponds, estuaries, oceans or other waters by cleaning of equipment or disposal of wastes. Dispose of paint debris in an approved landfill or recycle using available authorized recycling locations. Do not discharge effluent containing this product into lake, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

USE RESTRICTIONS

DO NOT TAKE INTERNALLY.

FOR INTERIOR USE IN COMMERCIAL AND INSTITUTIONAL BUILDINGS ONLY

Do not use on floors or on exterior surfaces

Do not thin the material.

Do not use on porous, interior surfaces.

Do not use in residential areas.

Do not use in commercial buildings where children may be exposed, such as office buildings, retail buildings, and hotels.

Do not use in institutional buildings where children may be exposed, such as child care facilities, schools, hospitals, and nursing homes.

PRECAUTIONS

Apply only with adequate ventilation. To avoid overexposure, open windows and doors or use other means to ensure that fresh air enters during application and drying. If you experience eye watering, headaches or dizziness, increase ventilation or wear a mask labeled N95 (or P95), or leave the area.

Lead Paint Caution: Some buildings may contain older paint that contains lead. If lead based paint is present, scraping, sanding or removing old paint may release lead dust. Lead is potentially toxic and exposure to lead dust can cause serious illness potentially including brain damage, especially in children. Pregnant women should also avoid exposure to lead. Wear a suitable respirator to control lead exposure. Clean carefully with a vacuum and wet mop. Before you start disturbing lead based paint, find out how to protect yourself and others by contacting the National Lead information hot line at 1-800-424-LEAD or Log on to www.epa.gov/lead.

APPLICATION INSTRUCTIONS

WHERE TO USE

For use only on interior, hard, non-porous interior ceilings, walls, doors, and trim in commercial and institutional buildings.

Drying time and Recoating interval **

Drying time 1 Hr

Recoating interval 4 Hr

**Drying time and recoating interval for 77°F/50 R.H.

Drying and recoat times are dependent on temperature, humidity and film thickness

Coverage and thickness

Apply 2 coats with brush or roller

Coverage: 250 to 273 sq. ft/gal at 50 to 60 microns DFT. This equates to application rates ranging from a minimum of 6.12 ounces permethrin/1000ft² to a maximum of 7.87 ounces permethrin/1000ft².

Surface Preparation and Priming

All Surfaces: Properly prepare and clean all surfaces. Remove loose paint, wash off dirt and grease with detergent, rinse and allow to dry. Remove mildew stains with mildew stain remover. Scuff glossy surface and repair imperfections. Remove all dust with a damp cloth, allow to dry. Allow new stucco plaster and masonry to cure at least for 30 days before painting. Use a premium wall/wood primer for an undercoat to seal pores or repair interior surfaces including wood that contains tanning (two primer coats required for redwood and cedar).

Application – Apply when air and surface temperature are between 50 to 89°F. Stir paint occasionally. Use a high quality 3/8 – 1/2 inch nap roller cover, nylon/polyester brush. Darker colors may require an additional coat.

{RIGHT SIDE PANEL}

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store away from food and pet food. **Open dumping is prohibited.** Keep container closed when not in use. Do not transfer contents to other containers. Store in a cool, dry place away from heat. To prevent from freezing, store the paint above 41°F.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of at an approved waste disposal facility. For disposal of empty containers, used brushes/rollers, unused paint and soiled rags, contact your refuse collection service.

Container Handling: Non-refillable container. Do not reuse this container. Alternatively, contact your sanitation department or hazardous waste coordinator for information concerning re-use, recycling or disposal of unused latex paint. If container is still partially filled, call your local solid waste agency for disposal instructions. Never pour unused paint down any indoor or outdoor drain.

Limited Warranty & Disclaimer

Kansai Paint warrants that at the time of delivery and when applied according to label instructions, and used according to normal conditions of use, the product in this container conforms to its chemical description contained on this package. To the extent consistent with applicable law, this is the only warranty made regarding this product. To the extent permitted by applicable law, Seller expressly disclaims any implied warranties of merchantability or fitness for any purpose, and except as set forth above, any other express or implied warranties. To the extent permitted by applicable law, Seller expressly disclaims and shall not be liable for consequential, incidental, indirect, or special damages arising from the direct or indirect use or handling of this product such as, but not limited to, loss of profits or income. Any damages arising from an alleged breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid for this product by Buyer. For replacement with product of equal value, or refund of original purchase price, return the unused portion along with sales receipt and evidence of paint application and a warranted defect to place of purchase.

This warranty specifically excludes labor or cost of labor for the application of any paint. Some states do not allow the exclusion of incidental or consequential damages, so the limitation or exclusion contained in the above warranty may not apply to you. This warranty gives you

*Note to Reviewer: Language contained
within parenthesis is optional.*

Kansai Paint Co. LTD
Anti-Mosquito Paint
EPA File Symbol 46197-XX
March 29, 2018
Page 5 of 5

specific legal rights, and you may also have other rights which vary from state to state. This warranty is nontransferable and applies only to the original purchaser.

If mosquitoes do not make contact with the painted surface, the paint film will not show its intended properties. Purchasers still bear some risk of being exposed to mosquito-borne diseases.

KANSAI PAINT CO., LTD.,
6-14 Imabashi 2-chome, Chuo-ku
Osaka 541-8523
JAPAN

EPA Registration Number: 46197-E
EPA Establishment Number:

Net Contents: